Regd. No. M. 117

382

The Mysore Gazette.

Vol. 58.] PUBLISHED BY AUTHORITY. [No. 32

BANGALORE, THURSDAY, AUGUST 9, 1923.

PART V.

Season Report for the Week ending with the 31st Saturday in 1923 (4th August 1923).

District and Station	Rainfall up to 8 A.M. on Saturday: This week		Last ten years' average for the corresponding week		Up to the end of the week from 1st January 1923: This year		Average of past ten years		Excess (+) or defect (—) of column 4 compared with column 5		Price of food grains in seers per rupee and market fluctuations in prices of food grains			
1	2		3		4		5		6		7			
	I.	c.	I.	c.	I.	c.	I.	c.	I.	c.		This week	Past week	Past ten years fortnightly average
												Seers.	Seers	Seers
BANGALORE.														
Bangalore C. & M. Station ...	0	12	0	00	0	00	0	00	0	00				
,, City & Taluk ...	0	00	0	87	15	16	12	81	+ 2	35				
Hoskote ...	0	00	0	75	8	45	10	37	— 1	92				
Dodballapur ...	0	00	0	76	10	29	11	32	— 1	03	Rice, 2nd sort	4·50	4·50	7·00
Nelamangala ...	0	13	0	56	12	21	10	62	+ 1	59				
Kankanhalli ...	0	20	0	41	8	58	12	47	— 3	89	Ragi	10·00	10·00	16·00
Magadi ...	0	05	0	48	10	82	11	43	— 0	61				
Channapatna ...	0	33	0	39	13	18	12	59	+ 0	59	Kulthi	9·00	9·00	12·00
Anekal ...	0	21	0	92	9	46	11	81	— 2	35				
Devanhalli ...	0	00	0	29	6	27	11	06	— 4	79	Kadale	5·50	5·50	7·00
Closepet ...	0	65	0	44	14	17	12	48	+ 1	69				
District average...	0	21	0	59	10	86	11	70	— 0	84				
KOLAR.														
Kolar ...	0	00	0	39	5	72	11	51	— 5	79				
Bowringpet ...	0	00	0	48	5	52	12	34	— 6	82	Rice, 2nd sort.	4·50	4·50	5·50
Chintamani ...	0	00	0	41	3	27	11	03	— 7	76				
Mulbagal ...	0	00	0	29	4	66	10	92	— 6	26	Ragi	10·50	10·50	11·50
Sidlaghatta ...	0	00	0	67	6	67	12	15	— 5	48				
Chikballapur ...	0	22	0	68	8	17	12	13	— 3	96	Kulthi	9·25	9·50	10·25
Bagepalli ...	0	00	0	50	7	44	11	06	— 3	62				
Goribidnur ...	0	19	0	42	5	32	11	96	— 6	64	Kadale	6·25	6·25	6·00
Malur ...	0	00	0	42	7	08	11	27	— 4	19				
Srinivaspur ...	0	00	0	36	3	45	11	36	— 7	91				
Gudibanda ...	0	00	0	82	6	36	12	76	— 6	40				
District average ...	0	04	0	49	5	79	11	68	— 5	89				
Tumkur ...	0	00	0	84	9	06	11	92	— 2	86				
Maddagiri ...	0	00	0	31	10	97	11	65	— 0	68	Rice, 2nd sort.	5·00	4·50	8·00
Chiknayakanhalli ...	0	18	0	34	15	19	11	33	+ 3	86				
...	0	00	0	28	9	33	9	01	+ 0	32	Ragi	10·00	10·50	18·00
...	0	00	0	49	4	15	12	47	— 8	32				
...	0	00	0	21	8	60	9	38	— 0	78	Kulthi	9·00	9·00	10·00
...ada ...	0	00	0	50	5	21	9	52	— 4	21				
...al ...	0	00	0	33	11	08	12	13	— 1	05	Kadale	6·50	6·25	8·80
...gere ...	0	48	0	73	7	50	11	32	— 3	82				
...kere ...	0	00	0	30	7	66	11	19	— 3	53				
...rict average ...	0	07	0	43	8	88	10	99	— 2	11				

District and Station	Rainfall up to 8 A.M. on Saturday: This week	Rainfall up to 8 A.M. on Saturday: Last ten years' average for the corresponding week	Up to the end of the week from 1st January 1923: This year	Up to the end of the week from 1st January 1923: Average of past ten years	Up to the end of the week from 1st January 1923: Excess (+) or defect (—) of column 4 compared with column 5
1	2	3	4	5	6
	I. c.	I. c.	I. c.	I. c.	I. c.
MYSORE.					
Mysore ...	0 39	0 56	13 93	11 94	+ 1 99
Chamrajnagar ...	0 15	0 40	9 27	10 22	— 0 95
Seringapatam ...	0 00	0 30	13 55	10 93	+ 2 62
Hunsur ...	0 19	0 53	17 80	14 83	+ 2 92
Yedatore ...	0 48	0 78	20 36	11 61	+ 8 75
Heggaddevankote ...	2 68	1 55	20 70	17 56	+ 3 14
Gundlupet ...	0 42	0 43	13 70	12 07	+ 1 63
Nanjangud ...	0 46	0 63	12 87	12 97	— 0 10
T.-Narsipur ...	0 00	0 43	11 83	10 57	+ 1 26
Malvalli ...	0 27	0 25	11 45	11 37	+ 0 08
Mandya ...	1 12	0 20	13 48	10 36	+ 3 12
Krishnarajpete ...	0 00	0 40	16 10	13 18	+ 2 92
Nagamangala ...	0 00	0 38	8 61	8 94	— 0 33
District average...	0 47	0 53	14 12	12 04	+ 2 08
HASSAN.					
Hassan ...	0 70	1 21	19 82	15 27	+ 4 55
Manjarabad (Saklespur) ...	8 31	7 30	80 26	48 90	+31 36
Arkalgud ...	2 86	2 21	43 98	18 71	+25 27
Belur ...	4 32	2 23	50 71	18 91	+31 80
Channarayapatna ...	0 15	0 48	17 12	13 58	+ 3 54
Arsikere ...	0 11	0 39	15 20	10 83	+ 4 37
Hole-Narsipur ...	0 91	0 71	20 06	12 89	+ 7 17
Alur ...	1 22	2 32	32 59	21 30	+11 29
District average...	2 44	2 11	34 97	20 05	+14 92
SHIMOGA.					
Shimoga ...	1 24	1 88	31 20	16 50	+14 70
Channagiri ...	0 25	1 62	15 93	13 46	+ 2 47
Honnali ...	0 25	0 83	17 43	10 32	+ 7 11
Shikarpur ...	1 27	2 32	26 95	17 44	+ 9 51
Sorab ...	4 08	4 53	60 88	32 19	+28 69
Sagar ...	9 74	7 53	100 09	45 48	+54 61
Nagar (Kallurkatte)...	7 58	9 23	105 25	61 00	+44 25
Tirthahalli ...	7 81	11 85	120 72	68 92	+51 80
Kumsi ...	0 85	2 78	38 41	22 11	+16 30
District average...	3 67	4 73	57 63	31 94	+26 69
KADUR.					
Chikmagalur ...	1 11	1 31	29 05	16 29	+12 76
Kadur ...	0 06	0 43	19 50	9 21	+10 29
Tarikere ...	1 17	2 44	32 05	18 03	+14 02
Koppa ...	9 93	11 17	118 25	61 50	+56 75
Mudgere ...	8 79	7 28	85 30	54 39	+30 91
Narasimharajapura ...	4 77	7 20	78 62	45 38	+33 30
Sringeri ...	11 95	14 32	115 07	87 33	+27 74
District average...	5 40	6 30	68 27	41 73	+26 54
CHITALDRUG.					
Chitaldrug ...	0 27	0 73	12 38	9 29	+ 3 09
Challakere ...	0 00	0 34	9 61	7 69	+ 1 92
Hiriyur ...	0 00	0 26	10 31	9 87	+ 0 94
Holalkere ...	0 00	0 83	14 90	9 76	+ 5 14
Davangere ...	1 00	0 59	18 08	10 36	+ 7 72
Molakalmuru ...	0 14	9 86	7 14	8 09	— 0 95
Jagalur ...	0 19	0 63	14 82½	8 59	+ 6 23
Hosdurga ...	0 25	0 41	19 65	10 37	+ 9 28
Haribar ...	0 16	0 46	9 28	9 47	— 0 19
District average...	0 22	0 57	12 96	9 28	+ 3 68
Provincial average ...	1 56	1 97	26 68	18 67	+ 8 01

Price of food grains in seers per rupee and market fluctuations in prices of food grains

7

	This week	Past week	Past ten years' fortnightly average
	Seers	Seers	Seers
Rice, 2nd sort.	4·50	4·50	4·13
Ragi	10·00	10·00	10·03
Kulthi	10·00	10·00	8·15
Kadale	5·00	5·00	5·00
Rice, 2nd sort.	5·00	5·00	6·00
Ragi	10·25	10·25	14·00
Kulthi	9·50	10·75	12·00
Kadale	5·25	5·50	6·00
Rice, 2nd sort.	5·00	5·00	6·06
Ragi	13·00	12·00	12·92
Kulthi	8·00	8·00	8·42
Rice, 2nd sort.	5·00	5·00	5·00
Ragi	11·00	11·00	11·00
Kulthi	8·00	9·00	8·00
Kadale	6·50	7·00	6·00
Rice, 2nd sort.	5·25	5·25	6·00
Ragi	12·00	12·00	14·00
Kulthi	8·00	8·00	12·00
Cholum	11·00	11·00	
Kadale	7·00	7·00	

NOTE—Rice (husked)—Oryza Sativa. Cholum—Sorghum Vulgare.
Ragi—Eleusine Coracana. Kadale—(Bengal gram) Ciser Arietinum.
Kulthi—(Horse gram) Dolichos Biflorus.

379.

DISTRICT REPORT.

8. Markets how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable out-turn of harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of season, tracts in which the rainfall has been insufficient, area affected by scarcity, number of people under relief, and state of food stocks.

11. Public Health.

12 Remarks as to the condition of agricultural stock, failure of pasturage of fodder, etc.

BANGALORE CIVIL AND MILITARY STATION.

Average for the past five years of the corresponding week.—

		Average.	*Current.*	
Prices of food grains.—Boiled rice 2nd sort ...		4·69	5·17	Seers per rupee.
Ragi ...		8·832	10·31	

Rangoon rice not available.

Agricultural operations.—Fields are being sown with ragi and avare. The standing crops are fair. Cattle are in good condition. Water and fodder are sufficient.

BANGALORE CITY AND TALUKS.

8. Markets are well supplied.

9. (*a*) *Agricultural operations.*—Ploughing operations are going on in Dodballapur, Nelamangala, Kankanhalli, Magadi and Devanhalli Taluks. The raiyats are busy in manuring the fields in Nelamangala Taluk.

(*b*) *Seeds sown.*—Ragi in all the taluks except Channapatna and Devanhalli Taluks pulses in Bangalore, Hoskote, Nelamangala and Anekal Taluks paddy in Kankanhalli and Magadi Taluks and haraka in Kankanhalli Taluk.

(*c*) *Standing crops.*—Sugar-cane in all the taluks; paddy in Bangalore, Hoskote Dodballapur, Nelamangala and Anekal Taluks; til in Kankanhalli, Magadi and Anekal Taluks; mulberry in Kankanhalli and Devanhalli Taluks and Closepet Sub-Taluk and ragi and pulses in Dodballapur Taluk are reported to be in good condition.

(*d*) *Crops harvested.*—Vaisakhi paddy in Hoskote Taluk.

(*e*) *Damages to crops.*—Nil.

10. Prospects of the season are fair. There was rain in all the taluks except Channapatna Taluk during the week. Food stuffs are available. Cooly classes find sufficient labour.

11. Public health is reported to be generally good, except for plague in parts of Nelamangala, Channapatna, Anekal and Devanhalli Taluks and Closepet Sub-Taluk. Ordinary fever is reported from Bangalore and Hoskote Taluks and small-pox from Channapatna Taluk.

12. Cattle are reported to be generally healthy, except for "Chapperoga" in Bangalore Taluk.

Water and fodder are available.

KOLAR.

8. Well supplied.

9. *Seeds sown.*—Ragi, avare and togari in parts of the Bowringpet, Chintamani, Sidlaghatta, Chikballapur, Bagepalli, Goribidnur, Malur and Srinivaspur Taluks and the Gudibanda Sub-Taluk. Same in parts of the Bowringpet, Chintamani and Goribidnur Taluks.

Standing crops.—Sugar-cane is reported to be in good condition.

10. Prospects of the season fair. Rain is wanted. Prices of food grains stationary. Labour sufficient for cooly classes.

11. Public health is generally good.

12. Cattle healthy, except for Sapperoga at Yegavakote and Y. Kumpalli villages in the Chintamani Taluk.

Pasture, fodder and water are available.